Final Draft SEPA Mitigation Strategies for Climate Change Impacts

Project Actions		En	Emissions Category		Possible
Site Design	Comments	Direct 1		Qualitative Assessment	
Encourage infill, redevelopment, and higher density development, whether in incorporated or unincorporated settings.	Minimizes sprawl and reduces direct and indirect VMT and encourages a pedestrian built environment and high density is more energy efficient per capita.	•	•	•	
Provide permanent protection and restoration for open space/natural areas on the project site.	Reduces (indirectly) vegetation disturbance emissions and maintains carbon sink, avoids future built environment projects and subsequent energy consumption patterns.		•		•
Plant trees and vegetation near structures to shade buildings and	Reduces onsite fuel combustion emissions and purchased electricity plus enhances carbon sinks.	•	•		•
Preserve or replace onsite vegetation (that is removed for construction) as a means of providing carbon storage.	Reduces direct carbon emissions and loss of carbon sink from vegetation disturbance	•			•
Minimize building footprint.	Reduces onsite fuel combustion emissions and purchased electricity consumption, materials used, maintenance, land disturbance, and direct construction emissions.	•	•		•
Design project to support alternative transportation to site including transit, walking, and bicycling.	Reduces VMT and direct and indirect emissions from reduced parking facilities.		•	•	•

•

10/22/08 Page 1 of 7

¹ Direct emissions include emissions generated onsite that the proponent of the action has direct control over. Examples include stationary combustion, physical and chemical processes other than fuel combustion, and fugitive sources of emissions (i.e., emissions that do not pass through a stack, chimney, exhaust pipe, or similar opening).

² Indirect emissions include those generated offsite and for which the proponent does not have direct control over. Examples include emissions associated with purchased or acquired electricity, embodied emissions, and emissions associated with extraction of materials and fuels.

³ Transportation emissions can be either direct (i.e., within the control of the proponent) or indirect (i.e., outside of the proponent's direct control). Transportation emissions are called out as a separate category because they constitute a sizable proportion of Washington's overall GHG emissions and because the tools for measuring transportation emissions typically vary from the tools for measuring other kinds of emissions.

Use low impact development for stormwater design.	Improves hydrological functions and reduces purchased energy use for runoff management. Can reduce project footprint and minimize vegetation disturbance.	•	•		•
Design water efficient landscaping.	Minimizes water consumption, purchased energy, and upstream emissions from water management.		•		
Minimize energy use through building orientation.	Reduces onsite fuel combustion emissions and purchased electricity consumption	•	•		
Project Actions Building Design and Operations	Comments	Direct	Indirect	Trans- portation	Qualitative Assessment
Apply LEED (Leadership in Energy and Environmental Design) standards (or equivalent) for design and operations	Reduces onsite fuel combustion emissions and off-site/indirect purchased electricity, water use, waste disposal	•	•		•
Purchase Energy Star equipment and appliances for public agency use.	Reduces onsite fuel combustion emissions and purchased electricity consumption	•	•		•
Incorporate on-site renewable energy production, including installation of photovoltaic cells or other solar options.	Reduces onsite fuel combustion emissions and purchased electricity consumption.	•	•		•
Replace traffic lights, street lights, and other electrical uses to energy efficient bulbs and appliances.	Reduces purchased electricity.		•		
Construct "green roofs" and use high-albedo roofing materials.	Reduces onsite fuel combustion emissions and purchased electricity consumption	•	•		•
Install high-efficiency HVAC systems.	Minimizes fuel combustion and purchased electricity consumption.	•	•		•
Eliminate or reduce use of refrigerants in HVAC systems.	Reduces fugitive emissions . Compare refrigerant usage before / after to determine GHG reduction.	•			•
Reduce energy demand using peak shaving or load shifting strategies.	Reduces purchased electricity.		•		•
Maximize interior day lighting through floor plates, increased building perimeter and use of skylights, celestories and light wells.	Increases natural/day lighting initiatives and reduces purchased electrical energy consumption.		•		•

10/22/08 Page 2 of 7

Incorporate energy efficiency technology such as: super insulation motion sensors for lighting and climate control efficient, directed exterior lighting on-site renewable energy sources into project including solar, wind, geothermal, low-impact hydro, biomass, and biogas strategies combined heat and power (CHP) technologies	Reduces fuel combustion and purchased electricity consumption.	•	•		
Use water conserving fixtures that exceed building code requirements.	Reduces water consumption.		•		
Re-use gray water and/or collect and re-use rainwater.	Reduces water consumption.		•		
Provide for storage and collection of recyclables (including food, paper, corrugated cardboard, glass, plastic, and metals) in building design.	Reduces solid waste disposal and promotes material re-use which reduces extraction of purchased materials and some transportation of purchased materials.		•	•	•
Use recycled building materials and products.	Reduces extraction of purchased materials, possibly reduces transportation of materials, encourages recycling and reduction of solid waste disposal.		•	•	•
Use building materials that are extracted and/or manufactured within the region.	Reduces transportation of purchased materials			•	
Use rapidly renewable building materials.	Reduces emissions from extraction of purchased materials		•		•
Use wood products from sources certified in accordance with the Forestry Stewardship Council's Principles and Criteria.	Reduces emissions from forest conversion, extraction of purchased materials and processing of purchased materials.	•	•		•
Use low-VOC adhesives, sealants, paints, carpets, and wood.	Reduces fugitive emissions and indirect emissions from extraction and processing of purchased materials, and from solid waste disposal.	•	•		•
Conduct 3rd party building commissioning to ensure energy performance.	Reduces fuel combustion and purchased electricity consumption.	•	•		•
Track energy performance of building and develop strategy to maintain efficiency.	Reduces fuel combustion and purchased electricity consumption.	•	•		•

10/22/08 Page 3 of 7

Provide construction and design guidelines to facilitate sustainable design for build-out by tenants.	Reduces fuel combustion and purchased electricity consumption. Reduces emissions from indirect sources such as extraction of purchased materials, processing, transportation of materials, solid waste disposal, and water use	•	•		•
Project and Non-Project Transportation	Comments	Direct	Indirect	Trans- portation	Qualitative Assessment
Locate new buildings in or near areas designated for transit-oriented development (TOD) and, where possible, incorporate TOD principles in employee and customer activity patterns.	Reduces direct and indirect VMT			•	
Purchase low-carbon fuel and/or fuel efficient vehicles for fleet.	Reduces direct emissions from transportation sources			•	
Support the use of low/zero carbon fueled vehicles, such as the charging of electric vehicles from green electricity sources.	Reduces direct and indirect emissions from transportation sources		•	•	
Join or form a transportation management association.	Reduces direct and indirect VMT.			•	•
Provide new transit service or support extension/expansion of existing transit (buses, trains, shuttles, water transportation).	Reduces direct and indirect VMT			•	•
Support expansion of parking at Park-n-Ride lots and/or transit stations.	Reduces direct and indirect VMT			•	•
Develop or support multi-use paths to and through site.	Reduces direct and indirect VMT			•	•
Size parking capacity to not exceed local parking requirements and, where possible, seek reductions in parking supply through special permits or waivers.	Reduced parking discourages auto dependent travel, encouraging alternative modes such as transit, walking, biking etc. Reduces direct and indirect VMT			•	•
Develop and implement a marketing/information program that includes posting and distribution of ridesharing/transit information.	Reduces direct and indirect VMT			•	•

10/22/08 Page 4 of 7

Subsidize transit passes.	Reduces employee VMT			
Reduce employee trips during				
peak periods through alternative				
work schedules,			•	•
telecommuting, and/or flex-				
time. Provide a guaranteed ride				
home program.				
Provide on-site amenities such	Reduces direct and indirect VMT			
as banks, dry cleaning, food			•	•
service, childcare.				
Provide bicycle storage and	Reduces employee VMT			
showers/changing rooms.			•	

Non-Project Actions Transportation and Energy Efficiency	Comments	Direct	Indirect	Trans- portation	Qualitative Assessment
Traffic signalization and coordination to improve traffic	Reduces transportation emissions and VMT				
flow and support pedestrian and	and vivi	•		•	
bicycle safety.					
Plan for cluster multimodal	Reduces direct and indirect VMT				
transportation oriented development and					
redevelopment to integrate					
high density housing, civic, and				•	•
retail amenities (jobs, schools,					
parks, shopping opportunities) to help reduce VMT.					
Apply advanced technology	Reduces emissions from				
systems and management	transportation by minimizing idling				
strategies to improve	and maximizing transportation routes				
operational efficiency of transportation systems and	/ systems for fuel efficiency.			•	
movement of people, goods,					
and services.					
Implement street improvements	Congestion relief reduces fuel				
that are designed to relieve	consumption which may be considred direct emissions or				
pressure on a region's most congested roadways and	indirect option 3 if not under the			•	•
intersections.	control of the project.				
Limit idling time for	Reduces transportation emissions				
commercial vehicles, including	Î			_	
delivery and construction					
vehicles.					

10/22/08 Page 5 of 7

	T =	1	1		1
Develop shuttle systems around	Reduces idling fuel emissions and				
business district parking	direct and indirect VMT				
garages to reduce congestion					
and create shorter commutes.					
Create a business or	Reduces direct and indirect VMT				
community-based online				•	•
ridesharing program.					
Public leveraging/encouraging	Reduces direct VMT				
	Reduces direct VIVII				
of large businesses to develop				•	•
commute trip reduction plans.	No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Develop a Safe Routes to	Minimizes diesel emissions, and				
School program that allows and	school district's VMT				
promotes bicycling and walking					
to school.					
Recognize and promote energy	Reduces fuel combustion and				
saving measures beyond Title	purchased electricity consumption		_		
24 requirements for residential		•	•		
and commercial projects					
Educate the public, schools,	Reduces direct and indirect				
other jurisdictions, professional	emissions				
associations, business, and	Christians				
industry about reducing GHG					
emissions.					
Retrofit public buildings using	Reduces fuel combustion and				
an Energy Savings Performance	purchased electricity consumption				
Contract with a private entity					
to. This type of contract allows					
the private entity to fund all		•	•		•
energy improvements in					
exchange for a share of the					
energy savings over a period of					
time.					
Design, build, and operate	Reduces fuel combustion and				
schools that meet the	purchased electricity consumption				
Collaborative for High	r	•	•		
Performance Schools (CHPS)					
best practices.					
Retrofit municipal water and	Reduces fuel combustion and				
wastewater systems with energy	purchased electricity consumption				
	pur chased electricity consumption				
efficient motors, pumps and		•	•		
other equipment, and recover					
wastewater treatment methane					
for energy production.					
Convert landfill gas into energy	Reduces fuel combustion and				
sources for use in fueling	purchased electricity consumption			•	
vehicles, operating equipment,					
and heating buildings.					

10/22/08 Page 6 of 7

Purchase low-carbon fuel government vehicles and buses Promote the use of these vehicles in the general community.	Reduces emissions from transportation			•	•
Offer government incentives to private businesses for developing buildings with energy and water efficient features and recycled materials. The incentives can include expedited plan checks and reduced permit fees.	Reduces direct and indirect emissions	•	•		•
Offer rebates and low-interest loans to residents that make energy-saving improvements on their homes.	Reduces direct and indirect emissions	•	•		•
Create incentives to increase recycling and reduce generation of solid waste by residential users.	Reduces emissions from solid waste disposal			•	•
Implement a Construction and Demolition Waste Recycling Ordinance to reduce the solid waste created by new development.	Reduces direct and indirect emissions	•	•	•	•
Add residential/commercial food waste collection to existing greenwaste collection programs.	Reduces solid waste disposal		•		•
Offer government employees financial incentives to carpool, use public transportation, or use other modes of travel for daily commutes.	Reduces direct VMT			•	•

10/22/08 Page 7 of 7